


Oil Pattern Distance	<b>41</b>	Reverse Brush Drop	<b>32</b>	Oil Per Board	<b>Multi ul</b>
Forward Oil Total	<b>16.728 mL</b>	Reverse Oil Total	<b>6.218 mL</b>	Volume Oil Total	<b>22.946 mL</b>
Tank Configuration	<b>ALT</b>	Tank A Conditioner	<b>FIRE</b>	Tank B Conditioner	<b>FIRE</b>


	START	STOP	LOADS	MICS	SPEED	BUFFER	CROSSED	START	END	FEET	TOIL
1	2L	2R	3	52	14	4	111	0.0	3.9	3.9	5772
2	7L	7R	2	50	18	3	54	3.9	9.0	5.1	2700
3	9L	9R	2	52	18	3	46	9.0	14.1	5.1	2392
4	11L	11R	3	52	18	3	57	14.1	21.7	7.6	2964
5	13L	13R	3	50	18	3	45	21.7	29.3	7.6	2250
6	14L	14R	1	50	18	3	13	29.3	31.8	2.5	650
7	2L	2R	0	50	30	3	0	31.8	36.0	4.2	0
8	2L	2R	0	50	30	2	0	36.0	41.0	5.0	0

	START	STOP	LOADS	MICS	SPEED	BUFFER	CROSSED	START	END	FEET	TOIL
1	2L	2R	0	50	30	3	0	41.0	20.0	-21.0	0
2	12L	12R	1	52	22	3	17	20.0	16.9	-3.1	884
3	10L	10R	2	52	18	4	42	16.9	11.8	-5.1	2184
4	8L	8R	1	52	18	4	25	11.8	9.3	-2.5	1300
5	2L	2R	1	50	14	4	37	9.3	7.4	-1.9	1850
6	2L	2R	0	50	10	4	0	7.4	0.0	-7.4	0



Cleaner Ratio Main Mix                    NA  
 Cleaner Ratio Back End Mix            NA  
 Cleaner Ratio Back End Distance      NA


Item	3L-7L:16L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	Middle:Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	4.31	1.69	1.01	1.01	1.69	4.31



Oil Pattern Distance	39	Reverse Brush Drop	30	Oil Per Board	Multi
Forward Oil Total	20.1 mL	Reverse Oil Total	5 mL	Volume Oil Total	25.1 n
Tank Configuration	ALT	Tank A Conditioner	KEGEL	Tank B Conditioner	KEGI

	START	STOP	LOADS	MICS	SPEED	BUFFER	CROSSED	START	END	FEET	T.OIL
1	2L	2R	4	50	14	3	148	0.0	5.9	5.9	7400
2	2L	5R	1	50	18	3	34	5.9	8.4	2.5	1700
3	4L	5R	2	50	18	3	64	8.4	13.5	5.1	3200
4	6L	6R	1	50	18	3	29	13.5	16.0	2.5	1450
5	9L	7R	2	50	18	3	50	16.0	21.1	5.1	2500
6	11L	9R	2	50	18	3	42	21.1	26.2	5.1	2100
7	12L	10R	1	50	18	3	19	26.2	28.7	2.5	950
8	14L	11R	1	50	22	3	16	28.7	31.8	3.1	800
9	2L	2R	0	50	26	3	0	31.8	39.0	7.2	0

	START	STOP	LOADS	MICS	SPEED	BUFFER	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	50	30	3	0	39.0	20.0	-19.0	0
2	16L	13R	1	50	26	3	12	20.0	16.4	-3.6	600
3	14L	12R	1	50	22	3	15	16.4	13.3	-3.1	750
4	13L	11R	1	50	22	3	17	13.3	10.2	-3.1	850
5	12L	10R	1	50	18	3	19	10.2	7.7	-2.5	950
6	2L	2R	1	50	14	3	37	7.7	5.8	-1.9	1850
7	2L	2R	0	50	10	3	0	5.8	0.0	-5.8	0



Cleaner Ratio Main Mix                    5:1        Forward  
 Cleaner Ratio Back End Mix            5:1        Reverse  
 Cleaner Ratio Back End Distance        59        Combined  
 Buffer RPM: 4 = 720 | 3 = 500 | 2 = 200 | 1 = 50

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-19R:17R-13R	18L-16R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	Middle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	2.38	1.61	1.06	1	1.28	2.5

